

ARCHITECTURAL SHINGLES – LIMITED LIFETIME WARRANTY¹

Your roof will look as great as it performs.





o you appreciate beautiful options? Then look no further than the Biltmore, CRC's most popular shingle among contractors and discerning homeowners alike. Biltmore shingles add architectural interest that boosts your home's curb appeal. Their dimensional profile and deep shadow bands mimic the look of wood shake construction to create a high-end designer look for your home, all at an affordable cost.

Choose from a huge array of colours to coordinate perfectly with your home's style; whether rustic or urban, traditional or modern.

When you choose Biltmore, your new roof will keep on looking as great as it performs.

- Algae-resistant granules help inhibit discolouration caused by blue-green algae
- 15-Year CRC Iron Clad Protection¹
- Limited Lifetime Warranty¹
- Includes up to 177 km/h (110 mph) Limited Wind Warranty¹
- Optional Limited High Wind Warranty Upgrade to 210 km/h (130 mph) available^{1,2}

¹ See Limited Warranty at Canroof.com for complete terms, conditions, restrictions, and application requirements.
Shingles must be applied in accordance with application instructions and local building code requirements

² High Wind Application is required.

Biltmore Colour Blends Charcoal Grey Dual Black Slate⁶ **Dual Grey Dual Brown** Driftwood Aged Redwood Weatherwood Vintage Green Earthtone Cedar Riviera Red⁵ National Blue^{5,7} Patriot Slate⁵

⁶Packaged in IKO wrappers. ⁶Slate is a similar colour blend to Harvard Slate. ⁷Blue granules may fade after extensive exposure to the sun's ultraviolet rays.

Not Available in Western Canada

Note: To ensure complete satisfaction, please view several full size shingles and an actual roof installation prior to final colour selection as the shingle swatches and photography shown online, in brochures and in our app may not accurately reflect shingle colour, and do not fully represent the entire colour blend range, nor the impact of sunlight.

Not Available in Western Canada

PRODUCT SPECIFICATIONS³ 40 7/8 in (1038 mm) Length Width 13 3/4 in (349 mm) 5 7/8 in (149 mm) Exposure Coverage Per 33 1/3 ft² (3.1 m²) Bundle

STANDARDS	
ASTM D3462	ASTM D3018
ASTM D7158 - Class H	CSA A123.5
ASTM D3161- Class F	
ASTM E108 - Class A	

OT A NID A D D O 4

THE CRC ADVANTAGE	
Limited Warranty ¹	Limited Lifetime
Iron Clad Protection ¹	15 Years
Limited Wind Warranty ¹	177 km/h (110 mph)
Limited High Wind Warranty Upgrade ^{1,2}	210 km/h (130 mph)
Blue-green Algae Resistant ¹	Yes
Three bundles = One full sq	uare - 100 sq. ft. coverage

THE ODO ADVANTAGE



Shingles alone are usually not enough to protect your home. CRC recommends using superior multi-layered roofing components for these vulnerable areas of your roof.

1. Eave Protection

StormTamer® Ice & Water Protector

Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers, vent stacks, and skylights.

2. Underlayment

RoofGard-Cool Grey™ or Stormtite® Underlayment Use the innovative RoofGard-Cool Grey or Stormtite synthetic underlayment for total deck protection.

3. Roof Starters

Leading Edge Plus™ Starter Strips

Fast, easy and convenient. Starter strips that are already cut to size save valuable time during the installation of the first course



of shingles. Compatible with all existing CRC Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.

4. Ridge Cap Shingles

Hip & Ridge Plus[™] or Ultra HP[™] High Profile Ridge Cap Shingles Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing your home's aesthetic appeal by accentuating the roof line.

Find out more about our products now by talking to a CRC Sales Representative, your professional roofing contractor or contact us directly at: 1-855-CRC-ROOF (1-855-272-7663) or visit our website at: www.canroof.com

- ¹ See Limited Warranty at Canroof.com for complete terms, conditions, restrictions, and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements.
- ² High Wind Application is required.
- ³ All values shown are approximate.
- ⁴ Products developed with reference to these Standards.

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.